



EK650 Video Tripod System

E-IMAGE professional tripod kit EK650 is a pretty portable solution smooth operation while shooting with DLSR, Mini DV and HDV cameras. Fluid head with bowl size 75mm, it provides fixed counterbalance that helps the fluid head support loads up to 5kg (11lbs). It's compatible with E-IMAGE dollies also. A soft bag is included for the kit, easy to carry for outdoor shooting.



SC-1R Carry bag

Specifications:


Payload	5.0kg / 11.0lbs
Height range	76.5-164.0cm / 30.1-64.6in
Transport length	85.5cm / 33.7in
Net weight	4.4kg / 9.7lbs
Bowl size	75mm

What's included:

Head	EH650
Tripod	GA752S
Packing	SC-1R Carry bag

EH650 75mm Fluid Head

EH650 fluid head with bowl size 75mm, it provides fixed counterbalance that helps the fluid head support loads up to 5kg (11lbs.).Fixed pan drag, variable tilt drag.



Features



Tilt drag is variable.



GP1 quick release plate.



A built-in bubble level to assist balancing.





Additional 3/8"-16 screw hole for articulating accessories.

Specifications

	Payload range	0-5.0kg / 0-11.0lbs
	Counterbalance	Fixed
	Grades of pan drag	Fixed
	Grades of tilt drag	Continuous adjustable

	Tilt range	-70°~+90°
	Temperature range	-30°C~+60°C
	Net weight	1.7kg / 3.7lbs
	Bowl size	75mm

Counterbalance Graph





GA752S 75mm Video Tripod

The E-IMAGE GA752S tripod legs are the lightweight version of the incredibly popular GA752. The GA752S has locks on each stage of each leg and includes a GS01 mid-level spreader for added stability. Each leg also ends in a two-pronged spike for biting into soft ground, and each spike comes covered with a rubber foot to protect delicate surfaces.



75mm bowl size.



Ergonomic hand locking knob.



Adjustable middle spreader adding extra stability.



High quality aluminum tube.



Spike foot & big rubber are both available.



Specifications:

Payload	30.0kg / 66.0lbs
Height range	64.0-151.5cm / 25.2-59.6in
Transport length	73.0cm / 28.7in
Net weight	2.7kg / 5.9lbs
Bowl size	75mm
Sections	3
Material	Aluminum

Recommend accessories



GS02 Ground spreader



EI-7003 Dolly



EI-7003C Dolly